





NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding. TITAN reserves the right to change features, specifications, data, prices are always VAT free. For updated and punctual information on products and prices, TITAN invites users to contact its sales network.



Tool box

\* Without spare wheel, with inflation kit



# Alloy rear tipper

Code	Boards
M 155 026 703	Flat aluminum
odized aluminium sideboards from 200 mm ton on	

Anodized aluminium sideboards from 300 mm top opening only

Anodized aluminium tailgate height 300 mm with double opening and automatic release

- Structure of the loading deck in single thick in aluminum sheet. 4 mm Galvanized steel sub-frame
- Aluminum front board from 300 mm with ladder rack and perforated protection panel in aluminium painted Anodized aluminium side boards from 300 mm with integrated handles Anodized aluminium rear board from 300 mm
- Rear pillars removable with integrated handles
- Recessed foldway rope stretching ring (2+2)
- Thermoplastic mudguards
- Electro-hydraulic power pack with control panel into cab, isolation switch, safety fuse and buzzer Chromed multistage under floor ram, wear resistant, weather resistant and rust resistant with safety valve Underrun protection crossbar and approved towing preparation Lights according to regulations



## External Dimensions

1890x1830 mm











NOTE: The information and images - including the colors of the products - concerning equipment, external appearance, measurements, etc. are to be considered purely indicative and in no way binding. TITAN reserves the right to change features, specifications, data, prices without notice. The prices are always VAT free. For updated and punctual information on products and prices, TITAN invites users to contact its sales network.





# Alloy dropside body

Code

Boards

M 155 009 016\*

Flat aluminum

Side and rear boards anodized aluminium from 300 mm top opening only

Structure of the loading deck in smooth aluminum from 30 mm slats Aluminum sub-frame

Anodized aluminum front board from 500 mm integrated with anodized aluminum pole holders Anodized aluminium side boards from 300 mm with hinges and opening handles galvanized Anodized aluminium rear board from 300 mm with hinges and opening handles galvanized

Predisposition for rear aluminum pole holder

4 integrated foldaway handles on the edge of the platform (2+2) Thermoplastic mudguards

Underrun protection crossbar and approved towing preparation Lights according to regulations

\* Available while stocks last



### External Dimensions

2400x1830 mm

